

Certificate of Analysis
Compliance Test

Client Information:

SIVAN REMEDIES

PO BOX 378

POINT LOOKOUT, NY 11569

Batch # TRV111

Batch Date: 2025-01-13

Extracted From: Hemp

Test Reg State: Florida

Order # SIV250113-040001

Order Date: 2025-01-13

Sample # AAGH539

Sampling Date: 2025-01-30

Lab Batch Date: 2025-01-30

Orig. Completion Date: 2025-02-04

Initial Gross Weight: 80.900 g

Number of Units: 1

Net Weight per Unit: 29998.000 mg

Statement of Amendment: Updated Net Weight

Potency
TestedHeavy Metals
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
PassedPathogenic Microbiology
PassedMicrobiology (qPCR)
Passed

Product Image



Potency 10

Specimen Weight: 100.250 mg

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	SOP13.001 (LCUV) (%)
CBD	5.40E-5	0.015	28.450	2.845
CBG	2.48E-4	0.015	12.050	1.205
CBC	1.80E-5	0.015	11.810	1.181
CBN	1.40E-5	0.015	6.050	0.605
Delta-9 THC	1.30E-5	0.015	0.950	0.095
CBDV	6.50E-5	0.015	0.210	0.021
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			28.450	2.845
Total Active THC			0.950	0.095

Tested

SOP13.001 (LCUV)



Potency Summary

Total Active THC 0.095% 28.498 mg	Total Active CBD 2.845% 853.443 mg
Total CBG 1.205% 361.476 mg	Total CBN 0.605% 181.488 mg
Total Cannabinoids 5.952% 1785.481 mg	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received. Revised report- see statement of amendment above. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

SIVAN REMEDIES
PO BOX 378
POINT LOOKOUT, NY 11569

Batch # TRV111
Batch Date: 2025-01-13
Extracted From: Hemp

Test Reg State: Florida

Order # SIV250113-040001
Order Date: 2025-01-13
Sample # AAGH539

Sampling Date: 2025-01-30
Lab Batch Date: 2025-01-30
Orig. Completion Date: 2025-02-04

Initial Gross Weight: 80.900 g

Number of Units: 1
Net Weight per Unit: 29998.000 mg

 Total Yeast and Mold
Specimen Weight: 494.500 mg

Dilution Factor: 8.000

Analyte
Total Yeast/Mold
Prep. By: 1161
Reviewed By: 1161

Date: 2025-01-31 09:50:36
Date: 2025-01-31 16:34:56

Action Level
(cfu/g)
100000
Analyzed By: 1161
Lab Batch #: AAGH539-434

LOQ
(cfu/g)
1000
Date: 2025-01-31 09:50:36
Date: 2025-01-31 16:34:56

Passed
SOP13.017 (qPCR)

Result
(cfu/g)
<LOQ

 Pathogenic Microbiology SAE
(MicroArray)

Specimen Weight: 1015.200 mg


Dilution Factor: 1.000

Analyte
Aspergillus flavus
Aspergillus fumigatus
Aspergillus niger

Result
(cfu/g)
Absence in 1g
Absence in 1g
Absence in 1g
Aspergillus terreus
Salmonella
STEC E. Coli

Passed
SOP13.019
(Micro Array)

Result
(cfu/g)
Absence in 1g
Absence in 1g
Absence in 1g


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

